

FIG. 2




FIG. 3





FIG. 4






FIG. 6





FIG. 7






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13






FIG. 14



F|G. 5






FIG. 17

HKLM\SOFTWARE\UNISYS\UTRACE

APPNAME -- Subkey matching the name of the application

565

ENABLETRACE -- DWORD value indicating a Boolean (1=trace, 0=no trace).

MAXENTRIES -- DWORD value indicating the maximum number of entries in the trace file. If missing, then no upper limit is imposed.

FORMATFLAGS -- DWORD value indicating message formatting flags.

POLICYFLAGS -- DWORD value indicating trace policy flags set for the application.

TRACELEVEL -- DWORD value indicating a trace level. 0 = no trace.

TRACEPATH -- String value indicating the directory path for the trace files.

REGTRACE -- A string value containing the HKLM\Software sub key to trace for this application. Blank or missing for no registry trace.

COMPONENT -- A subkey for a specific component of the application.

POLICYFLAGS -- Value indicating component level trace policy flags

TRACELEVEL -- DWORD Value indicating a trace level. 0 = no trace.

VERSIONTRACE -- String value specifying executable component name for version information tracing.

FIG. 18




FIG. 19

```
#define CI_TRACE_VERSION          0x1
#define CI_TRACE_ERROR             0x2
#define CI_TRACE_INTERFACE         0x4
#define CI_TRACE_FLOW              0x8
#define CI_TRACE_DETAIL             0x10
```

FIG. 20A

```
if (m_trace.Active(CI_TRACE_DETAIL))
m_trace<<"MY Detailed Trace information"<<Localvariable<<traceit
```

FIG. 20B




FIG. 2








FIG. 22A



22B
E/G













FIG. 25







OT EXAMPLE

Version:AC:0.0 90
Truncation:AC:0 92
TypeCheck:AC:0 93
ShowData:ED:0|R 94
From:ED|R
From:EV:Supplier:20:string
TableType:ED|R
TableType:EV:TableInfo:50:string
Inventory:ED|R
Inventory:BT:Inventory:7
Inventory:FT:ITEMNUMBER:10
Inventory:FT:QTY:5
Inventory:FT:TYPE:0
Inventory:FT:GENDER:0
Inventory:FT:SIZE:3
Inventory:FT:COLOR:3
Inventory:FT:UNITCOST:13
Date:AD|R
Date:AV:SendDate:0:string
Time:ADt|R
Time:AV:SendTime:Setting
Rows:ED:2|R
Row:ER1
ItemN:ED:2|R
ItemN:EF:ITEMNUMBER:0|String
Quantity:AD:2|R
Quantity:AF:QTY:5|String
Type:ED:2|R
Type:EF:TYPE:10|String
Gender:ED:2:0
Gender:EF:GENDER:0|String&isSex
Size:ED:2|R
Size:EF:SIZE:3|String
Color:ED:3:0
Color:EF:COLOR:3|String&isWhite
Unitcost:ED:2|R
Unitcost:EF:UNITCOST:13|String
Row:EE:2
Row:ER2
Inventory:EE:
Inventory:ER: 96

FIG. 29

THE EXAMINEE

SCHÖNLEIN

८

```
        ShoeData (From TableType, inventory)
From (#PCDATA) >
TableType (#PCDATA) >
Inventory (Row+)
Inventory Date CDATA #REQUIRED
Inventory Time CDATA #REQUIRED
Row (ItemNr Type, GeneralSize, Color, UnitCost)+
```

XML INPUT DEFINITION EXAMPLE

(part number-10" encoding-SO-9203470)
<?xml version="1.0" encoding="SO-9203470"?>
<!DOCTYPE
GrafixRecords Stereo/Frost>
<Table><?xml version="1.0"?><TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row></Table>
<TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row>
<TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row>
<TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row>
<TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row>
<TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row>
<TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row>
<TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row>
<TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row>
<TableType>
Inventory Date= 2000-12-05 Time= 10:30
</TableType>
<Row>
Quantity=0732035</Row>

FIG. 3